



Shenzhen Jawest Electronic Technology Co., Ltd

15 inch Industrial Grade Panel PC with Windows OS

Size	15 inch JWS150-W210	15.6 inch JWS156-W210
Display		
Panel Type	Industrial A grade LCD with LED backlight	
Aspect Ratio	4:3	16:9
Resolution	1024*768	1920*1080
Contrast	800:1	800:1
Luminance	300nit, up to 1500 nits	300nit, up to 1000 nits
Response time	5ms	5ms
Active Area (mm)	304.1*228.1	344.2*193.6
Display colors	16.7M(8-bit)	16.7M(8-bit)
PC Configuration		
CPU	Intel® Celeron® Processor J1900, Quad-Core up to 2.0 GHz, Intel® Smart Cache 2 MB; Intel Celeron J4125, Intel Core i3/i5/i7 can be customized	
Graphic Card	Integrated Intel HD Graphics	
Inner memory	2GB DDR3L 1333 MHz RAM (4GB/8GB/16GB RAM can be customized)	
Storage	32GB SSD (64GB/128GB/256GB/512GB SSD, 500GG/1TB HDD can be customized)	
Expansion Card Slot	2xMini-PCIE slot, support SSD, WIFI, 3G module	
Audio	Realtek ALG662 6 sound track audio frequency	
Internet	1xRTL811E gigabit network card	
Operating System	Windows 7/8.1/10, WES7-E/P, WE8S, Ubuntu 14.04	



Support multi-language	English/Portuguese/French...etc
Touch Screen	Default with 10-point capacitive touch, support Two-finger Touch Control while Wearing Gloves; Optional Resistive touch / Non-touch
Touch Screen Surface Hardness	7 Mohs
Touch Screen Transparency	90% (±3%)
I/O Ports	1*12V/24V DC_JACK input (ATX is optional), 1*VGA, 1*HDMI 1.4a up to 1920 x 1200, 4*USB port
	1*RJ-45 network interface, 1*Audio I/O interface, 2*COM (can be customized, up to 6*COM)
Power Input	AC 110-240V, 50/60Hz
Power Consumption (Typical)	1.53A @ 12V (18.4W)
Power Consumption (Max)	1.8A @ 12V (21.6W)
Operation Temperature	-10°C-60°C
Storage Temperature	-40°C-85°C
Operation Humidity	5%~80%
Storage Humidity	5%~90%
Material	Aluminum alloy enclosure+ High Strength Cold Rolled Steel
Bezel Thickness	3mm bezel for 2nd generation upgrade version,10mm bezel for 4th generation.
IP Rating	IP65 True Flat Front Panel
Color	Default with Black Color; Optional Silver Color;
Installation Way	Default with Embedded / Wall Mount bracket; VESA / Desktop optional
Certification	CE,FCC,ROHS,ISO9001
Warranty	3 years warranty (with the exception of man-made damage)
Packaging	EPE+Carton (wooden crate for mass order)

Dimensions (L x W x H)	15inch with 379 x 300 x 63.1 mm (14.92" x 11.81" x 2.49"); 15.6inch with 420 x 270 x 62 mm (16.54" x 10.63" x 2.45");
Packing List	1 x JWS150-W210(JWS156-W210); 1 x Power Adapter; 4 x Embedded Bracket; 2 x Wall-mounted Bracket;
Applications	Human Machine Interface (HMI); Factory / Manufacturing Automation; ATM / Self-service / Kiosk Applications; Vending Machine / Ticketing Machine

Product Size

15.6"

尺寸单位：
毫米mm
尺寸误差：
±0.5mm



Product Size

15"

尺寸单位：
毫米mm
尺寸误差：
±0.5mm

